240 Series DIN Panel Meters Moving Coil Tap Position Indicators

Features

- These longscale position Indicators monitor transformer tap position, hoist or valve position, etc. They employ a 3 wire system and 11 to 18 positions can be provided using 400Ω steps
- The measuring system comprises a moving coil indicator, stabilised power supply & transducer
- The remote potentiometer or resistance thermometer sensor to be supplied by the customer




Accuracy: Class 1.5
Auxiliary Supply:

A.C.: 50, 110, 220, 240V 50/60Hz D.C.: 50, 110, 125, 220V ±15%

Burden: 2V

Model		
Bezel size mm	96	144
Scale length mm	150	230
Product Code		
Position Indicator	244-45P	246-45P



Features

- An Electronic Phase
 Sequence Indicator
 ensures correct phase
 rotation and the presence
 of all 3 phase supplies
- Incorrect phase or loss of phase can cause serious damage in a wide range of electrical machines
- Ship to shore supplies, mobile generators and remote installations are particularly vulnerable to this problem

Phase Sequence Indicators



Voltage: 151/300V, 301/500V 100/150V (Model 244-12P

> only) 50/60Hz

Frequency:

Burden:

 Model
 72
 96

 Product Code
 96
 96

 Phase Sequence
 243-12P
 244-12P

2.5VA/phase

